

WONDER INDUSTRIES PVT. LTD.  
CHIYADA, BAYLA, DISTRICT AHMEDABAD, GUJARAT 382220, INDIA  
+91 8100 22 0044 | [contact@wonder.in](mailto:contact@wonder.in)



ULTIMATE  
**BE  
AU  
TY**

ULTIMATE

**BE  
AU  
TY**





## SPECIFICATION

SR.NO.	PERFORMANCE CATEGORY	GRADE	REQUIREMENT OF IS 2046-1995	ACTUAL TEST RESULT
01.	Resistance to colour change	HGS	Min. 5 Wool STD.	Less than 5
02.	Resistance to staining A) Citric Acid Solution B) Ink C) Rectified Spirit D) Iodine Solution E) Kerosine Oil F) Silver Nitrate Solution G) Sodium Hydroxide Solution	HGS	Not worse than 5	5 (No visible change)
03.	Resistance to immersion in boiling water A) Boiling water absorption(%) B) Increase in thickness(%) C) Effect on the surface	CGF	Max 5.0 Max 7.0 Degree 5	2.9 2.2 Degree 5 (No visible change)
04.	Flexural Strength	HGS	No requirement	1666 6 kg/cm2
05.	Tensile Strength	HGS	No requirement	533.3 kg/cm2
06.	Resistance to dry heat at 180C	CGS	Degree 3 to 4	Degree 5 (No visible change)
07.	Warping (Flatness)	CGS	Max. 10 for double faced	6.5
08.	Thickness variation	CGS	Max% 0.20 for 3.0mm thickness	0.06
09.	Dimensional stability at deviated temperature visual examination	CGS		Satisfactory
10.	Machining test	CGS		Satisfactory
11.	Resistance to spread of flame	CGS	Class B	Class A
12.	Dimensional Stability at 20C A) Machine Direction (%) B) Transverse Direction (%)	CGS	Max 0.45% Max 0.85%	0.06 0.05
13.	Determination of Visibility due to smoke	CGS	Class B	Class A

STANDARDS	: International Standards: ISO 4586-1 & 21 Indian Standards: IS 2046:1995, C/K 5141 European Union Standards: MTDS 086, EN 438-2:20051 British Standards: BS 3794 - 1 & 2
LIMITED LIABILITY WARRANTY	: Guaranteed thickness with high quality back sanding. Company warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the Company is however limited to the cost of the products only.
MAINTENANCE	: Clean with mild soap solution with soft cloth. Abrasive cleaners should not be used. Excessive direct sunlight, heat & moisture should be avoided. Products can be used for both vertical & horizontal surfaces.
RESISTANCE	: Resistance to surface water, boiling water, cigarette burns, staining and mild scratches.



## ABOUT US

Wonderlam represents a fresh breath of air in the laminates industry with our innovative bent in all aspects of the business. Our laminates collection represents the latest in contemporary design because we look to the global design industry at large. Our service is unparalleled as we work closely with every architect, designer and developer, providing prompt response and excellent sales support. Our quality of High Pressure Laminates is now well-known throughout the industry as they are manufactured under stringent control. This is due in no small part to our pursuit of perfection.

It's all about being inspired. You can see the result in our products. You can even feel it as our ongoing product design and development process underscores our commitment to innovation and in getting closer and closer to nature. It couldn't be simpler.

## INDEX


SR.NO.	D. NO.	NAME	P. NO.
FABRICS			
01	5001	LIGHT GREY MESH	02
02	5003	CORNSILK MESH	01
03	5015	WHITE MESH	01
04	5016	EARTHEN MESH	02
05	5017	CLEAR MESH	02
06	5018	GREY MESH	02
07	5025	WHITE CAMBRIC	04
08	5026	CLOUDY CAMBRIC	04
09	5028	TAN CAMBRIC	04
10	5054	BLEACH KHADI	06
11	5055	NATURAL KHADI	06
12	5057	LIGHT DENIM SPLASH	05
13	5058	DARK DENIM SPLASH	05
14	5060	LIGHT CUSINO	06
15	5061	NATURAL CUSINO	06
WOODS			
16	2701	LOURO PRETO	11
17	2927	COACH WOOD	15
18	2943	EBONY	11
19	2945	SWEDISH WALNUT	12
20	2947	WHITE OAK	07

SR.NO.	D. NO.	NAME	P. NO.
21	2948	RED OAK	07
22	2950	OLMO WALNUT	08
23	2951	COLOMBIAN WALNUT	08
24	2953	SAMOA TEAK	12
25	2955	LIGHT SOLANO TEAK	10
26	2956	DARK SOLANO TEAK	10
27	2958	MAGAS WALNUT	09
28	2960	CLASSIC OAK	16
29	2966	URBAN ASHWOOD	14
30	2967	CALIFORNICA ASHWOOD	13
31	2968	NATURAL ASHWOOD	14
32	2981	CORTEZ	15
SOLIDS			
33	1091	LIGHT GREY	17
34	1092	CLASSIC GREY	17
35	1099	JET BLACK	17
36			18
37			18
38			18
39			18






5015 • WHITE MESH




5016 • EARTHEN MESH



5017 • CLEAR MESH



5003 • CORNSILK MESH



5001 • LIGHT GREY MESH




5018 • GREY MESH






EMBRACE THE  
*Fascination*


A huge spread of laminates that will sharpen your image and decor with beautiful textures.



5025 • WHITE CAMBRIC




5028 • TAN CAMBRIC



5026 • CLOUDY CAMBRIC







5057 • LIGHT DENIM SPLASH



5054 • BLEACH KHADI




5055 • NATURAL KHADI



5058 • DARK DENIM SPLASH




5060 • LIGHT CUSINO



5061 • NATURAL CUSINO






2947 • WHITE OAK



2950 • OLMO WALNUT



2948 • RED OAK




2951 • COLOMBIAN WALNUT






2958 • MAGAS WALNUT




2955 • LIGHT SOLANO TEAK




2956 • DARK SOLANO TEAK






2701 • LOURO PRETO



2945 • SWEDISH WALNUT



2943 • EBONY



2953 • SAMOA TEAK






2967 • CALIFORNICA ASHWOOD




2966 • URBAN ASHWOOD



2968 • NATURAL ASHWOOD






2981 • CORTEZ



2960 • CLASSIC OAK




2927 • COACH WOOD



ENIGMATIC OF  
*Glamour*

Designs to decorate your home with creativity and simplicity.






1091 • LIGHT GREY



1092 • CLASSIC GREY

COMING SOON

COMING SOON



1099 • JET BLACK



THE TONES OF  
*Comfort*

Laminates to cover every surface  
with a sparkling finish.

COMING SOON

COMING SOON